









# AREA MARKING

riiotoiuiiiiiesceiit Area iviarkiiiy
Arrow tapes
Warning tapes
Light Clip arrows
Footprints
Arrrows
Dots
Door handle backgrounds
Stair markers
Warning tapes & strips
Door marking tapes & strips
Anti-Skid Products
Anti-skid strips
Roll-mounted tape
Die-cut cleats
Reflective & glow-in-the-dark die-cut cleats
Hazard marking die-cut cleats
Striped tape
Outpod tapo

Tapes	
Barricade tape	45
Graphic barricade tape	
Tape dispensers	
Super strong barricade tape	46
Flagger tape	46
Underground warning tape	
Warning tapes	47
Aisle marking tapes	47
Durable marking tape	47
Reflective Stripes & Solid Colour Tapes	47
Warning tape with legend	48
Warning panel	48
Aisle Marking Products	
Dots	18
Footprints. 14	

Warning Posts & Chains           Bradylink® warning post & chain         14           Brady connecting hooks         1           Brady connecting links         14           Brady warning posts         15           Message sign         15           Link         15           Brady Boys         15           Bradycone™ warning system         15           Economy floor stands         15	19 19 50 50 50 51 51
Heavy duty floor stands. 15  Safety Bumpers Polyurethane safety bumpers 15 Self-adhesive safety bumpers 15	51



Brady offers a wide range of products made of photoluminescent material. These products will indicate danger zones, even in complete darkness. In case of an emergency, these products will help your employees to find their way out of a dark room.



# BradyGlo™ 10+ hour material exceeds these standards:

- IMO Resolution A . 752
- DIN 67 510

#### **Glow-In-The-Dark Arrow Tapes**

- BradyGlo™ arrow B-324 tapes exceed standard specifications.
- Designed for safe Low Location Lighting egress pathway marking during power outages and emergency situations.
- Two sizes available: 50 mm and 75 mm.
- · Two directional graphic styles available: V and Arrow.

**Material:** Surface printed polyester (B-324) **Standard package:** 1 roll (4.5 m).



Use BradyGlo<sup>™</sup> tapes for visible marking at night or low light conditions.




**Order Ref. Width** 090971 50 mm 090972 75 mm



Arrow-Style			
	Order Ref.	Width	
	090973	50 mm	
	090974	75 mm	





## **Glow-In-The-Dark Warning Tapes**

• Self adhesive photoluminescent warning tape.

**Material:** Self adhesive polyester **Standard Package:** 1 roll (9 m)

Order Ref.	Width
224071	25 mm
224072	50 mm



# **Light Clip Arrows**

The Lite Clip is a glow-in-the-dark safety way guidance system that fixes onto tube lighting armatures. The translucent Lite Clips almost go unnoticed in normal conditions. However when the lights are off, for example during a power cut or when visibility is poor due to the smoke from a fire, the Lite Clip glows to indicate the shortest way to an emergency exit.

Standard Package: 10 arrows

**Size:** 180 x 120 mm



Order Ref.	Description
224199	Photoluminescent Arrow







#### **Glow-In-The-Dark Footprints**

Material: Photoluminescent Vinyl (B-324)

**Size:** 30 cm

Standard Package: 1 foot

Order Ref.	Foot
055358	Left
055359	Right

#### **Glow-In-The-Dark Arrows**

Material: Photoluminescent Vinyl (B-324)

Size: 75 mm

Standard Package: 100 arrows

**Order Ref.** 093275





#### **Glow-In-The-Dark Anti-Skid Footprints**

**Material:** Photoluminescent self-adhesive with anti-slip effect.

Size: 21 x 8,5 cm Standard Package: 1 foot

Order Ref.	Foot
224074	Left
224073	Right



#### **Glow-In-The-Dark Anti-Skid Floor Marking Dots**

Material: Photoluminescent self-adhesive with anti-slip effect

**Diameter:** 50 and 95 mm **Standard Package:** 10 dots

Order Ref.	Size
224077	50 mm
224078	95 mm



#### **Door handle backgrounds**


**Material:** Green/Photoluminescent, self-adhesive.

**Size:** 10 x 25.5 cm


Standard Package: 1 background

Order Ref.	Direction
224075	Left turn
224076	Right turn

## **Photoluminescent individual dots (Self-adhesive)**



## **Photoluminescent individual arrows (Self-adhesive)**



## **Photoluminescent Floor Marking Arrows (self-adhesive)**

Order Ref.	Description	Size
263387	Aluminium dots HI (10 pcs)	9.5 cm



# **Photoluminescent Arrows - Rectangular (self-adhesive)**



Order Ref.	Description	Size
251920	Floor arrow with anti-skid top (10 pcs)	17.5 x 11 cm
251921	Wall arrow (10 pcs)	17.5 x 11 cm

# **Photoluminescent Stair Marking**

These markers have an anti-skid coating and indicate clearly the edges of stairs in the dark.







## **Warning Tape: Standard Luminous Intensity**

Standard Package: 1 roll

Red/Photolum. Striped		Black/Photolum. Striped		Size
Right Order Ref.	Left Order Ref.	Right	Left	
263366	263367			30 mm x 12 m
263368	263369		EQUEST	30 mm x 25 m
263370	263371	ONR	Ea	60 mm x 12 m
263372	263373	01.		60 mm x 25 m





### **Photoluminescent Warning Strips**

Self-adhesive aluminium warning strips with a high luminous intensity.

Standard Package: 1 strip

Red/Photolu	m. Striped	Black/Photo	lum. Striped	Size
Right Order Ref.	Left	Right Order Ref.	Left	
251942	ON REQUEST	251936	ON REQUEST	100 x 3 cm
251944	ON WE	251938	ON W	100 x 6 cm

# **Green Arrow Tape – Standard Photoluminescent Quality**



Standard Package: 1 roll

Order Ref.	Size
263374	30 mm x 12 m
263375	30 mm x 25 m
263376	60 mm x 12 m
263377	60 mm x 25 m

## Green Arrow Strips – <u>High Photoluminescent Quality</u>



Standard Package: 1 strip

Order Ref.	Size
251945	100 x 3 cm
251946	100 x 6 cm

## **Photoluminescent Door Marking Tape**



Standard Package: 1 roll

Order Ref.	Size
263378	30 mm x 12 m
263379	30 mm x 25 m
263380	60 mm x 12 m
263381	60 mm x 25 m

## **Photoluminescent Door Marking Strips**



Standard Package: 1 strip

Order Ref.	Size
251947	100 x 3 cm
251948	100 x 6 cm

# **Photoluminescent Anti-skid Strips**

These self-adhesive aluminium anti-skid strips are ideal for marking the edges of stairs and doorways. They are available in a standard luminous intensity version and a high luminous intensity version.

Standard Package: 1 strip

Order Ref.	Description	Size
251925	Aluminium Standard intensity	80 x 3 cm
251926	Aluminium High intensity	80 x 3 cm
251927	Aluminium Standard intensity	80 x 5 cm
251928	Aluminium High intensity	80 x 5 cm
251929	Aluminium Standard intensity/Striped	80 x 3 cm
251930	Aluminium High intensity/Striped	80 x 3 cm
251932	Aluminium High intensity/Striped	80 x 5 cm



#### **Roll-Mounted Anti-Skid Tape**

Anti-Skid tape helps to prevent slipping and falling on wet or slippery floors. The rugged poyester tape is adhesive backed and coated with thousands of particles of durable aluminium oxide grit.

- . Bonds permanently to clean, dry floors.
- Works indoors or outdoors.
- · Withstands grease and oil.
- Eliminates masking clean-up and drying time.

Length: 18 m

Standard Package: 1 roll







## **Anti-Skid Tape-Die-Cut Cleats**

Installation is easy, just peel off the protective liner and press in place.

Material: Adhesive backed plastic cleat

**Standard package:** 50 cleats

Order Ref.	Size mm.	Colour
078192	19 x 600	Black
078195	150 x 600	Black
078196	140 x 140	Black
078177	140 x 140	Red



#### **Reflective & Glow-in-the-Dark Die-Cut Cleats**

Provides an extra margin of safety at night, during blackouts or in low light conditions.

Standard Package: 24 cleats

Order Ref.	Description	Size mm.
078161	Reflective	150 x 600
078162	Glow-in-the-dark	150 x 600



## **Anti-Skid Tape/Hazard Marking Die-Cut Cleats**

The Anti-skid tape provides traction on slick floors, while the printed message signals a visual warning.

Standard Package: 24 cleats

Order Ref.	Legend	Size
078160	Caution	15 cm x 60 cm
078163	Watch your step	15 cm x 60 cm



#### **Striped Anti-Skid Tape**

This bright yellow and black striped Anti-Skid Tape aids visibility.

Material: Adhesive backed plastic tape, oxide grit coated.

Standard Package: 1 roll (18 m)

Colour: Black/Yellow


25 mm	50 mm	75 mm	100 mm	150 mm
Order Ref.				
078146	078147	078148	078149	



#### **Barricade Tapes**

Visual barricading provides fast on-the-spot warning of potential dangers. The non-adhesive tape can be used for temporary outdoor or permanent indoor applications. This tape can be tied, stapled or nailed to posts, fences or metal barricades.

Material: polyethylene Thickness: 0.075 mm Size: 75 mm x 250 m Standard Package: 1 roll



#### **Graphic Barricade Tapes**

Combined text and graphics re-enforce your message immediately.

- Highly-visible and extremely durable.
- Supplied on handy spools enabling use over and over again.
- Weather-resistant 0.1 mm thick polyethylene.
- Each roll measures 76 mm x 305 m.

#### **Graphic Baricade Tape Accessories:**

Order Ref.	Description
072412	Fencing pins – pack of 10



#### **Tape Dispensers**

Durable yellow tape dispenser, features replaceable cutting blade (blades available on request). This dispenser can be used with any of the Brady barricade tapes and holds rolls up to 500 m long with a maximum width of 100 mm. Its design protects your tapes from dust and dirt.

Weight: 650 g

Size: 107 x 220 x 300 mm

Packaging: 1

**Order Ref.** 225000



This Tape dispenser holds 305 m long rolls of tape with a 75 mm width. It dispenses the tape quickly, safely and efficiently. Its features are:

- Lightweight, indestructible polypropylene construction.
- Advances the tape as required using your thumb.
- The steel safety cutting blade cuts fast and clean.
- The device can also be used with tapes of 50 mm.

**Order Ref.** 072412



## Super strong Barricade Tape

Long-lasting hazard protection, even with long distances between tie points. Reinforced Barricade Tape is stronger than ordinary barricade tape, making long stretches between tie points easy. No stretch or sag in sunlight or wind and it's tough enough to be used again.

Width: 75 mm













## **Flagger Tape**

Ord. Ref.

Tug each end of the strong barrier tape to allow strips to detach and hang down giving a greater visual warning than with conventional barrier tape.

Size: 75 mm x 0.04 mm x 250 m

Colour: Red/White Packaging: 1

> Order Ref. 225004




## **Underground Warning Tape**

Underground tape is buried 30 to 45 cm below ground level. Digging crews receive warning of buried lines and cables, allowing a margin of safety between the tape and the buried line.

- Easily Seen
- · Easily Identified by means of colour coding
- Convenient Handy dispensing reel.
- Strong Heavy duty polyethylene material resists acid, alkalis and other soil substances. Tape is 0.1 mm thick, with a tough tensile strength of 1750 psi.
- Long Lasting Coated graphics provide long lasting legibility and hold colour values.
- Economical Compared to the potential cost of line damage, this tape is cost-effective for use over the entire length of the line.







The markings of transport routes must be both flexible and durable, as they are constantly adapted to the changing demands and needs within your factory or warehouse. BRADY floor marking products are an economical solutions for marking the routes and and potentially hazardous areas inside your factory quickly and easily. Brady area marking tapes stand up to the toughest conditions.

Locked in colours • Permanent adhesive • Easy application • Bold patterns • Flexible tape



#### **Warning Tapes**

- Self-adhesive warning film for marking pillars, pylons, the edges of walls, gate arches and lifts.
- Extremely durable (0.138 mm thick).
- · Waterproof, oil, alkali and acid resistant.
- 3 colours.

• Three widths.

Material: self-adhesive PVC

Roll length: 33 m Standard pack: 1 roll

Order Ref.	Short Description	Width (mm)	Colour
255311	WS8V - YL/BK	38	
255312	WS8V - YL/BK	50	
255313	WS8V - YL/BK	75	
255295	WS8V - RD/WT	38	
255296	WS8V - RD/WT	50	
255297	WS8V - RD/WT	75	
225001	WS8V - GR/WT	38	
225002	WS8V - GR/WT	50	
225003	WS8V - GR/WT	75	

### **Aisle Marking Tapes**

- Long lasting
- · Sticks tightly to surfaces
- Easy to use
- Available in a wide range of colours
   Material: Self-adhesive vinyl (B-725)

Length: 33 m

Standard package: 1 roll



Yellow Order Ref.	Red Order Ref.	Green Order Ref.	White Order Ref.	Blue Order Ref.	Black Order Ref.	Width
058200	058201	058202	058203	058220	058222	50 mm
058250	058251	058252	058253	058221	058223	75 mm

## **Durable Marking Tape**

Colours are sealed beneath a protective layer of abrasion resistant clear laminate. Aggressive adhesive holds on almost any clean, dry surface. Markings stand up to toughest conditions - indoors or out.

Material: Self-adhesive vinyl (B-950)

Standard Package: 1 roll

**Length**: 16.5 m



Order Ref.	Order Ref.	Order Ref.	Order Ref.	Width
055300	055294	055290		25 mm
055301	055295	055291	055312	38 mm
055302	055296	055292	055313	50 mm
055303	055297	055293	055314	75 mm



## **Reflective Stripes & Solid Colour Tapes**

These tapes give an extra margin of safety during blackouts, at night, or in low light conditions.

Material: Reflective Adhesive Material (B-957)

Solid Colour Tane

Length: 4.5 m

**Order Ref.** 078985 078987

Standard Package: 1 roll

Order Ref.	Order Ref	Width
078986	078989	50 mm
070000	070000	7.5



Order Ref.	Order Ref.	Order Ref.	Width
076308	076309	076310	50 mm
076312	076313		75 mm

**Stripes** 

# Marking Tape / Aisle Marking Products

#### **Warning Tapes (with legend)**

- Maximum safety is achieved by combining a bold striped pattern with warning messages.
- The tape is laminated with a clear polyester film.

**Standard package**: 1 roll **Size**: 76 mm x 17 m







# **Warning Panels**

These self-adhesive warning films made from vinyl in black on yellow are designed to give early warning about trucks, loading platforms, posts and fork-lift trucks. They can be used wherever there are potential dangers to the work force.

Material: Self-adhesive vinyl (B-946)

Order Ref.	Description	Size mm	Colour	Panels per pack
055318	WP-516Y	142 x 428	Yellow/Black	10
055319	WP-1116Y	286 x 428	Yellow/Black	10
255322	WP-1116RD	286 x 428	Red/White	10



## **Vinyl Dots**

Self-adhesive Aisle Marking Dots are perfect for marking short aisles, or around machines, equipment and storage areas.

**Material:** Self-adhesive vinyl (B-933) **Standard Package:** 500 dots

			$\bigcirc$	
Yellow Order Ref.	Red Order Ref.	Green Order Ref.	White Order Ref.	Size (mm)
055324	055337	055342	055347	50 mm
055325	055338	055343	055348	75 mm
055326				100 mm
055327				125 mm



#### **Vinyl Footprints**

Material: Self-adhesive vinyl (B-933)

**Size:** 30 cm

Standard Package: 1 footprint

		•		
Yellow Order Ref.	Red Order Ref.	Green Order Ref.	White Order Ref.	Foot
055356	056922	056920	056924	Left
055357	056923	056921	056925	Right



#### **Removable Footprints**

Durable, skid-resistant footprints with removable back

Material: Self-adhesive vinvl (B-933)

Size: 30 cm

**Standard Package:** 10 footprints = 5 left / 5 right

		•	
Yellow Order Ref.	Red Order Ref.	Green Order Ref.	Blue Order Ref.
031550	031553	031551	031552



#### **Vinyl Arrows**

**Material:** Self-adhesive vinyl (B-933) **Standard Package:** 100 arrows

			$\overline{\Box}$	
Yellow Order Ref.	Red Order Ref.	Green Order Ref.	White Order Ref.	Size (mm)
055352	056918	056914	056916	50 mm
055353	056919	056915	056917	75 mm
055354				100 mm
055355				125 mm





Barricade potentially hazardous areas indoors or outdoors with portable plastic posts and chains. Their lightweight yet tough construction stands up to years of use in temporary or permanent applications.

The components of the posts and chains are made of polyethylene with the following features:

- Non-conductive: Can be safely used in electrically hazardous areas.
- Built-in Ultraviolet Inhibitors: Screen out the sun's rays to prevent colours from fading during outdoor use.
- Light Weight: chain is lighter than similar metal parts chain weights 2.7 kg per 25 meters
- Non-Rusting: Unlike metal posts and chain Bradylink, plastic parts cannot rust.
- Fillable Base: Hollow base can be filled with water or sand for more stable application.
- C-Hook: Large C-Hook holds chain in place. Use open, or closed for greater security.

Post Diameter: 75 mm

Base Dimensions: 40 cm diameter

Height: 1.04 m.



Box of 1* Order Ref.	Box of 6* Order Ref.	Post Colours
092116	092119	Black
092117	092120	White
092118	092121	Yellow
092122	092123	Striped Black/Yellow
092124	092125	Striped Black/Yellow Reflective

<sup>\*</sup>Bases and tops included. Links and chain NOT included

### **Replacement Bases & Tops**

Standard package: 1



Bases Order Ref.	Tops Order Ref.	Colours
092128	092131	Black
092129	092132	White
092130	092133	Yellow



- Insert post into base and turn into place. Base may be filled with sand or water to make the assembly more stable.
- 2. Drop C-Hook into slots, insert post to, and screw into place. Large C-hook holds chain in place.




# **Brady Warning Chain**

**Material**: Polyethylene.

Standard Package: 25 m (2.7 kg)

Order Ref.	Colour
278271	Yellow
278268	White
278269	Red/White
278270	Black/Yellow



Dimensions
A: 50.8 mm
B: 36.5 mm
C: 17.4 mm
D: 30.1 mm
E: 7.3 mm

# **Brady Connecting Hooks**

Material: Polyethylene

**Standard Package:** one bag of 36 pcs. **Usage**: attaching lengths of chains

Yellow Order Ref.	White Order Ref.	Black Order Ref.	Size
078255	078256	-	38 mm
078257	078258	078259	50 mm



# **Brady Connecting Links**

Material: Polyethylene

Standard Package: one bag of 36 pcs.

**Usage**: for a more permanent application or repairing chain links, these connecting links can be used

Yellow Order Ref.	White Order Ref.	Black Order Ref.	Size
078244	078245	-	38 mm
078246	078247	078248	50 mm
	<b>Order Ref.</b> 078244	Order Ref.         Order Ref.           078244         078245	Order Ref.         Order Ref.         Order Ref.           078244         078245         -



# Warning Posts & Chains

#### **Warning Posts**

Ideal for controlling and directing foot traffic. Suitable for warehouses, factories, offices, etc. Chains and ribbons can be attached to the sturdy 90 cm high posts. The posts are available in one-colour or two-colour versions (stripes of 10 cm wide).

- Material: polyethylene
- Non-conductive: the posts can be used for barricading electrically hazardous installations
- Built-in ultraviolet inhibitors: block out ultraviolet rays to prevent colours from fading
- . Colours: they stay bright and eye-catching, even after years of use
- Sizes: height: 90 cm, outside diameter: 6 cm



ble base	Rubber base	Cement base
		or plastic base

							P
Red Order Ref.	Red/White Order Ref.	Yellow/Black Order Ref.	White Order Ref.	Description			Height
256729	256721	256722	256725	Post & fillable base	e (4 pcs.)	3.7 litres (volume)	90 cm
256730	256723	256724	256726	Post & rubber base	(4 pcs.)	1.6 kg	90 cm
292234	292237	292236	292239	Post & cement bas	e (4 pcs.)	3.5 kg	90 cm
292233	292238	292240	292235	Post & triangular pl	lastic base (no cement)		90 cm
292244	292242	292241	292243	Post & top (no base	e)		
292248		292247	292249	Тор			
Order Ref.	Description			Size	Height		
256727	Fillable base only	(1 pc)		Ø 25 cm	12 cm		
256728	Rubber base only	(1 pc)		side: 27 cm			
292246	Cement base only	(1 pc)		side: 29 cm			
292245	Triangular plastic b	oase only (empty - no	cement) (1 pc)	side: 29 cm			



#### Message sign

Create an even safer work environment by using these universal signs.

The plastic frame simply clips to the Brady posts.

Comes as a complete kit: frame + 2 attachment clips + 1 chain (black, 20 cm)

Colour: black Sizes: A4 or A5 Packaging: 1

Order Ref.	Description
292250	Kit A4
292251	Kit A5



#### Link

This yellow rubber link enables you to attach a second chain to your posts.

Packaging: 1 pack of 20

**Order Ref.** 292252



# **The Brady Boys**

Interlocking at their hands and feet, the Brady Boys offer and attractive alternative for barricading hazardous areas.

Height: 105 cm Thickness: 25 mm Width: 79 cm

Standard	package: 2	Brady	Boys
----------	------------	-------	------

Weight: 2.5 kg

Order Ref.	Legend
092270	Caution out of service
292270	Blank



## **Bradycone™ Warning System**

- 4-sided visual cautions eliminate blind areas.
- · Lock-in signs provide warning for specific problems.
- · Lock-in safety lights for use in darkened areas.
- · Lock-in chains and barrier panels to control pedestrian traffic.
- · Easy stacking for storage.
- · High impact, weather-resistant materials for indoor/outdoor use.

#### **Cones**

Order Ref.	Description	Height
077198	Yellow cone, blank	63 cm
077200	Yellow cone, "Wet floor" (on cone)	63 cm
077199	Orange cone, blank	63 cm
077205	Yellow cone, blank	89 cm
077202	Yellow cone, "Wet floor" (on cone)	89 cm
077204	Orange cone, blank	89 cm

#### **Accessories**

Order Ref.	Product	Description
077210	Lock-in sign frame	Black, 25 cm height (when attached), 21 x 21 cm face
256717	Lock-in frame + sign	Frame + "NO ADMITTANCE" sign
256719	Lock-in frame + sign	Frame + "NO SMOKING" sign
077206	Safety light	Flashes up to 200 hours on 2 "D" cell batteries (not included)
077207	Lock-in chain	Yellow, 6 m plastic link, locks directly into cone
077228	Weight ring	For 63 cm cone - 2.7 kg
077208	Weight ring	For 89 cm cone - 4 kg





256717

256719



#### **Economy Floor Stands**

- Printed on both sides -inside and out- offering two stands for the price of one.
- Lightweight corrugated polypropylene material measures 30 cm wide by 50 cm high (closed)

#### Standard package: 1

Order Ref.	Description	Colour
256715	Blank economy stand	White
256716	Blank economy stand	Yellow

BRADY Customize-it Contact your Brady Specialist for more information on customized **Economy Floor Stands** 

CAUTION

WET









Side 2



Side 1







Side 2

Order Ref. 256711 256712 092284 256714



# **Heavy Duty Floor Stands**

Easily transportable, these stands are very useful to carry with and clearly indicate substantial dangers such as slippery zones. They are ideal for hospitals or public halls for example.

- · Heavy duty yellow high density polypropylene
- Height: 66 cm
- · Maintenance free : will not dent or corrode
- Large message area is visible from over 9 meters Available with a range of standard messages or as a blank stand.

Order Ref. **Description** 092110 Blank heavy duty floor stand

















Order Ref. 256709 256700 256701 256702 256704 256705 256706 256708




## **Polyurethane Safety Bumpers**

Clearly visible, made from polyurethane foam rubber, flexible and sturdy material, optimal shock-absorber.

- 4 colours: black; yellow on black; photoluminescent on black; and photoluminescent on red (last colour only with type A)
- 3 models available + 2 corner connecting pieces
- The photoluminescent strips are coated with a film that protects against physical and chemical actions. In the dark, these products give off the light they have absorbed during the day.
- Non-toxic and non-radioactive
- Length: 1m.
- · Secured with adhesive.

Packaging: 1



Order Ref.	Model	Colours
225010	Α	Black
225011	Α	Yellow/Black
225012	Α	Photolum./Black
225014	В	Black
225015	В	Yellow/Black
225016	В	Photolum./Black
225018	С	Yellow/Black
225019	С	Photolum./Black
Order Ref.	Model	
225020	2-dimensional corner piece	



# **Self-adhesive Safety Bumpers**


Protect corners and edges with these shock-absorbers.

- Shock-absorber made from cellular thermoplastic.
- Dual function: indicates hazardous situations and softens any impacts.
- $\bullet$  Increases safety in the workplace.
- Highly resistant against hydrocarbons.
- Double-sided adhesive, can be attached to any clean surface
- Choice out of 3 models

Packaging: 10







Order Ref.	Model	Size (mm)
225022	Corner (a)	680 x 110 x 14
225023	Sleeve (b)	660 x 28 x 29
225024	Cover (c)	750 x 151 x 14